

METALSUB[®]





Standard hose	3
Diveflex hose	3
Technical O-rings	4
Instruments	5
Adapters and Fittings	6
Compressor	8
Oxygen/Nitrox zone	9
Dive Tools	10
Valves	11
SMACO	12
Cases & Bags	12
Dive Lights	13
Safety Mark Buoys	14
Dive Computer	15
Divepro	16
X-Adventurer	20
Knives	24
Lead Coated Weight	24
Scooters	25
Coltri	26

Standard hose

Our product range includes tubes in thermo-rubber material EN250 certificate for regulators and BCD, in black and yellow color.



REGULATOR



OCTOPUS



BCD



HOOKAH

We have permanent stock of standard sizes and make to order other sizes that our customers require.

DIVEFLEX hose

Our DIVEFLEX hose is the latest generation of braided tube for regulators and BCD. Manufactured under standard EN250 european normative.

**EN250
CERTIFIED**



This type of hose is extremely flexible, it is designed for use in technical diving, although more and more users who ride it for their great comfort during the diving.



black



yellow



red



blue



green



pink



carbone



orange

HOOKAH / NARGUILÉ

We supply complete hoses ready to use, in the length you need. Indispensable as safety and maintenance equipment on any boat and for shallow work.



Technical O-rings

Wide range of specific o-rings for high pressure and oxygen mixtures.



O-RINGS BOXES



AIR/NITROX TEK BOX 145 pcs



KIT AIR/NITROX

SILICONE GREASE

Keep rubber, plastic and metal thoroughly lubricated with this 100% pure food-grade (but don't eat it) silicone grease

-100% pure, food-grade silicone grease

-Lubricates and conditions rubber products,

O-rings, regulator and valve components and more



SILICONE GREASE

THUNDER REGULATOR

Piston traditional regulator

Thunder octopus



ACC-MOU-0020

CONFORT SILICONE MOUTHPIECE

Instruments



PACIFIC



PACIFIC II



PACIFIC III



CAPSULES:



PRESSURE GAUGE



DEPTH



COMPAS



HP SWIVEL



TECH GAUGE tempered glass



PONY PG



DEPTH



SURFACE INT/

DIN



M26 NITROX

DIGITAL GAUGES



AIR



OXYGEN Gauge 5 scale



SURFACE INT & DIN

EQUALIZERS



DIN200/300 & INT version, with

and without manometer.



AVAILABLE for NITROX M26



Adapters and Fittings



RCR-YOK-0001



RCR-DIN-0010



VLV-DIN-0001



VLV-DIN-0002



RCR-SWL-0001



RCR-SWL-0090



RCR-SWL-0360



RCR-FST-3812
3/8" to 1/2" ADAPTER



LP & HP PLUGS



RCR-REG-0001
REGULATOR FTTINGS KIT



REG-CON-0004
INT CONVERTER



REG-CON-0001
DIN200CONVERTER



REG-CON-0002
DIN300 CONVERTER



REG-CON-0003
M26 CONVERTER



NEVOC W30x2 to G1/4"
FOR 300 BAR OXYGEN



NEVOC to DIN300



DIN 477-1 n°9
GERMAN O2 CONNECTOR



DIN 300 to G1/4"



RCR-OXY-0200



RCR-DIN-0300



RCR-BAU-006
MALE BAUER-FEMALE G1/4"



RCR-BAU-0001
MALE BAUER-MALE G1/4"

Adapters and Fittings



RCR-DBL-0001



RCR-SLP-0090



RCR-SHP-0090



RCR-CON-2658



RCR-CON-5826



VLV-DBL-0232



VLV-DBL-0300



ACC-VSP-0001



ACC-DIN-FEM



BCD-ALU-XXXX



BCD-ALU-MXXX



3 MM SPIDER GLOVES



5 MM TRADITIONAL NYLON-NYLON BOOT



MARSELLAISE INOX BELT



Compressor

HOSES

We have several load filling hoses models compatible with most compressors on the market: Bauer, LW, Coltri, Nardi.. Possibility of stainless steel and carbon steel fittings. We manufacture hoses with the length you need.



FILLING TERMINALS

We can assemble the hose terminal you need, we have all kinds of connectors, you decide the length and terminal you want.



DIN direct



DIN purge



DIN purge & gauge



INT direct



INT purge



INT purge & gauge

FILLING VALVES

Filling valves with DIN and INT, we supply them with the threads you need. Reliable and robust, although very light and practical. For Bauer, Nardi, Coltri, LW..



MANIFOLD BLOCKS



COMPRESSOR GAUGES

All kinds of glycerin pressure gauges for compressor, external or panel. We facilitate your installation to the maximum, we are professionals.



PERSONAL FILTERS



Oxygen/Nitrox zone

OXYGEN ANALIZER

Analyzed oxygen in portable kit with waterproof case, only 1 kilogram of weight.
Very easy to use, its box is panelable to install on your boat or workshop. 0-100% O₂ analyzer.



OXYGEN EQUALIZERS

Equalizer with oxygen flow controller designed for the filling of cylinders. Ideal for nitrox mixtures in professional and sport diving.

Stainless steel hose, available in 1 and 2 meters.

Available with analogic and digital pressure gauge, Connector: DIN300, Nevoc W30x2 and DIN477 n9 3/4"



OXYGEN LP HOSES

100% oxygen LP hose CE and CSA approved.

All hose assemblies are tested and cleaned before shipment.

Hoses with regulator thread, 3/8" UNF male and 9/16" UNF swivel female.

All measures availables.



OXYGEN GREASE

Metalsub Grease can be used as a vacuum grease in mid-range vacuum applications where exposure to pure oxygen, harsh chemicals, or corrosive gases is probable. It is a superior lubricant for wet or dry conditions in a wide range of applications, including o-rings, gaskets, bearings, stop cocks, etc.

It is non-flammable, non-migrating, non-toxic, odorless and waterproof as well as anti-corrosive, anti-galling, anti-seize, dielectric and lubricating.



Dive TOOLS



INS-MID-0001
Medium pressure gauge



ACC-KNB-0001
Knob tool




ACC-HOS-0001
BCD valve tool



RCR BCD- 0014
BCD-1/4" male fitting



ACC-DVT-0001
Dive multi tool



ACC-TOL-0001
Hand bar First stage



ACC-TOL-0003/4
Popper adjustment tool



ACC- TOL-0020
Service tool master kit



ACC-TOL-0010
2nd stage adjustment tool



ACC-TOL-0002
Spanner Wrench

Valves



SINGLE M25 & 3/4"



VALVE V



IN LINE M25 & 3/4"



NITROX M26



MODULAR M25 & 3/4"



2nd OUTLET



CCR IN LINE



SEAT MODELS



MANIFOLD VALVES



KIT A



KIT B



KIT C



FILTER



KIT NITROX



STEM A-B



STEM C



KNOB KIT

ACCESORIES



STEEL SCUBA TANKS


Faber
CYLINDERS



Metalsub is Faber cylinders official distributor of the most prestigious lighter steel cylinders on the market. Availability or programming in bottles of capacities 5, 10, 12, 15 and 18 liters at working pressure 232 BAR.

ALUMINUM SCUBA TANKS

LUXFER
GAS CYLINDERS



Luxfer Gas Cylinders, the world's most trusted manufacturer of aluminum and composite cylinders for high-pressure gas storage. Using patented and proprietary alloys to develop products that are light, durable and corrosion-resistant.

SMACO



S300 Tank set
0,5 liter



S500 Tank set
0,7 liter



AIR COMPRESSOR 230V



HAND PUMP SETS



ACCESSORIES

CASES & BAGS

AMPHIBIAN BAG

Transport Dry bag with 108 liters capacity. Made of durable, ultrasonically welded PVC. Nautical zipper and internal drain valve. Measures 95 x 30 x 35 cm.



MAMMOUTH BOX

Watertight bag for the transport of your diving equipment, very resistant, with handle and wheels. Capacity 80 liters. Its measurements are 78 x 39.5 x 35 cm.




Dive Lights



MERO 340 lumens LED

Made of ABS resistant to 40 mts depth.

Size and net weight 16.5x4 cm; 100g LED type 3W Powerful LED. Duration on: 8 hours. Cool white light Lumens 340 lumens Lamp life 100.000 hours Battery type 4 dry AA batteries (included)



SPORT 500 lumens LED

Made of ABS and aluminum alloy waterproof, underwater more than 250 meters LED source: XML T6 LED cold white light. Rechargeable 18.650 battery and 230V charger included. Lighting time 3-6 hours. ze: 12x4x4 cm; unit weight: 87g



FOCUS 500 lumens LED

Submersible light in black aluminum of 500 lumens. Lamp type XM-L2 T6 LED with cold white light. Maximum light (lm) 500 lumens. The lighting distance is 150m. Lamp life 100.000 hours. Maximum power 10W with its 18.650 lithium ion battery. Duration 3-6 hours. It has three lighting modes: 500 lumens white light, low-power intermediate light, and intermittent signaling flash. Supplied in a padded ABS case, 230V charger and rechargeable lithium ion battery.

Button switch
3 Modes: High- Low- Strobe

Net Weight: 230g



Safety Mark Buoys

We have a wide range of 120cm and 180cm decompression buoys in classic and reflective versions. Nylon, aluminum and stainless steel rope reels.



CARABINERS

availables in SS 316 inox. and Brass.



model A
Double end
Snap Hook



model B
Oval Swivel
Snap Hook



model C
Swivel
Snap Hook



model D
Carabiner
Hook



model F
Quick Link



model G
Egg Shape
Spring Hook



model H
Trigger
Swivel
Snap Hook



Aluminum
Aluminum
Carabiner Hook

LIFTING BALLONS

We have a wide range of lifting balloons from 30 to 2500 kg, reinforced electrowelded balloons with resistant safety rings and overpressure and emptying valves.



Dive Computer



CR-4



CR-5L / CR-LITE



CR-5

Display	Black & White	Color	Color
Battery Life	Dive mode up to 25 dives (Note 1) Standby mode up to 3 months	Dive mode up to 25 dives Standby mode up to 14 days	Dive mode up to 25 dives Sports mode up to 40 hours Standby mode up to 14 days
GPS	●	●	●
E-Compass	●	●	●
Heart Rate Monitor	●	●	●
TWIST TO NEXT	●	●	●
Safety Alert	●	●	●
Dive Mode	SCUBA, Freediving, Gauge, Dive Plan	SCUBA, Freediving, Gauge, Dive Plan, Dive Spot Navigation, T EC Dive	SCUBA, Freediving, Gauge, Dive Plan, Dive Spot Navigation, T EC Dive
Gas Support	Air and Nitrox (EAN 21-56%)	Air and Nitrox (EAN 21-99%) Multi Gas & Trimix	Air and Nitrox (EAN 21-99%) Multi Gas & Trimix
Sports Mode			Run, Hike, Bike, Swim, Work Out, Triathlon/Multisport
Depth Limit	10 ATM (100 m / 330 ft)	10 ATM (100 m / 330 ft)	10 ATM (100 m / 330 ft)
Log Storage	1000+	1000+	1000+
Language	English, 中文, Español	English, 中文	English, 中文
Color	Black / White	Aurora Black	Polish Silver
Battery	Chargeable	Chargeable	Chargeable
Charge Cycle	300+	300+	300+
Display Type	TN - TFT LCD	Color Sunlight Readable LCD	Color Sunlight Readable LCD
Display Size	2.9 cm / 1.14 inches	3.1 cm / 1.22 inches	3.1 cm / 1.22 inches
Resolution	110x110 pixel	240x240 pixel	240x240 pixel
Lens	K1 tempered Glass	Corning Gorilla Glass	Corning Gorilla Glass
Weight	95 g	75 g	80 g
Straps	1 Set Medical Grade Silicone NATO 22 mm	1 Set Nylon Webbing 18 mm	2 Set Medical Grade Liquid Silicone, Silicone 18 mm
Strap Installation	Screwed on	Quick-Release	Quick-Release
Charger (Note 2)	1 Set	1 Set	1 Set
Warranty	Global Warranty 1 Year	Global Warranty 1 Year	Global Warranty 1 Year
APP Service	DiveStory	DiveStory+	DiveStory+

Note 1. A dive is calculated about 45 minutes average.

2. Charger of CR-4 is not compatible with Charger of CR-5L/CR-5. Charger of CR-5L is compatible with Charger of CR-5.



Modular Lighting System

Photo/Video Light Heads



Primary Light Heads



Cable Length Options: 0.5-1.5m



Unlimited Stackable Battery Packs



Lighting for Underwater Photography/Videography

A.



Lighting for Spearfishing

B.



Lighting for Blackwater Photography

C.



Primary Lighting for Technical Diving, Cave Diving

D.



Duplex Lighting for Underwater Videography

E.



5 Classic Combinations, More to Explore!

Remarks:

1. A variety of options for light heads are available to choose.
2. Different cable lengths are also available to meet your demands
3. Stackable battery packs with unlimited expandable capacity extend the runtime as needed.

Mix and Match, Create Your Own!

Diving Torches

4200LM

S40

2650LM

S26

S20

1150LM

S11

D5-3

1000LM

S10

D6

220LM

D1

Underwater Photo/Video Lights

18000LM

G18

15000LM

G15

G15 Pro

Vision Pro

12000LM

G12

9000LM

D90F

8000LM

Master

Vision

D80F

4200LM

D40F

3500LM

M35

1050LM

D6F

Snoot Lights

MP30

MP10

Pointers

L6

L7

Canister Lights

CL4200B

CL4200S

CL4200R

Accessories

Battery/Charger

Others

Diving Torches

DIVEPRO

D1

220LM, Super Mini,
8 Hours Runtime



S10

1000LM, Compact and Colorful



D6

1050LM,
4 Hours Runtime



S11

1150LM,
Super Compact



D5-3

1150LM,
18650 Single
Cell Compact



S26

2600LM,
Super Compact
and Powerful



S20

2650LM,
Long Burn Time



S40

4200LM, Small But
Powerful



Underwater Photo/Video Lights

DIVEPRO

M35

M35S

3500LM, Multi-Function and Multi-Color

3500LM
1*XHP70.2

800LM
4*XPE Red

1000LM
1*XHP35

4*UV365

800LM
4*XPE Blue

D40F

4200LM, 26650
Single Cell Compact

D6F

1050LM,
4 Hours Runtime

G18

18000LM Series

G15

15000LM Series

G15 Pro

15000LM Series

Underwater Photo/Video Lights

DIVEPRO

Vision Pro

15000LM Series
CRI 98, Wide Angle 170°



G12

12000LM Series



D90F

9000LM Series



Master

8000LM Series
CRI 95



Vision

8000LM Series
CRI 95, Wide Angle 170°



D80F

8000LM Series



Canister Lights

CL4200B

4200LM,
Straight Cable



CL4200S

4200LM,
90° Side
Mount Cable



CL4200R

4200LM,
180° Angle
Adjustable Cable



ADVENTURER

Video Light Features

Dive Light



M650

LED Dive Light

Using 3xAAA battery or rechargeable 18650 li-ion battery, the compact light features a 5° angle spot light, 3 power modes (100%, 50%, 25%).



M1500

LED Dive Light

This powerful 1500 lumen LED dive light uses the CREE XM-L3 LED, compact and light weight design, push button easy operation with one hand.



M1800

LED Dive Light

This powerful 1800 lumen LED dive light uses the CREE XHP35.2 LED, compact and light weight design, push button easy operation with one hand.



M3000

LED Dive Light

This powerful 3000 lumen LED dive light uses the CREE XHP70.2 LED, compact and light weight design, push button easy operation with one hand.



M4000

LED Dive Light

This powerful 4000 lumen LED dive light uses the CREE XHP70.2 LED, compact and light weight design, push button easy operation with one hand.

Video Light



M1500-WRA

Smart Focus Photo Light

With 1500 lumens wide light and 200 lumens red light, in addition to the Auto-Shut-Off function, this compact video light is an ideal focus light which helps you to focus your perfect shot easily.



M2500-WSRBA

Smart Focus Dive/Photo Light

With 2500 lumens wide light, 300 lumens snoot light, 200 lumens red light & 6W blue light, Support Auto-Shut-Off function, this video light is an ideal dive light or photo focus light.



RL3000 RPO

Smart Focus Ring Flash Light

RI3000 PRO ring light gives you 1800 lumens white light (3000 lumens in strobe flash mode), also with 100 lumens red light. The light added dimming left & right white light dimming separately function, optimized shooting effect, perfect for super macro images and videos.



M4500-WSRUA

Smart Focus Photo/Video Light

4500 lumens Ra85 CRI White light (Strobe mode& Turbo mode even 6,000 lumens), 200 lumens Red light, 18W UV light. this light is an ideal photo / video light which helps you to focus your perfect shot easily.



M7000-WRGBU

Smart Focus Photo/Video Light

7000 lumens Ra85 CRI White light (Strobe mode&Turbo mode even 10,000 lumens), 200 lumens Red light, 24W Blue light, 24W Green light and 24W UV light. The light support RGB Mix color mode for different scene effect. this light is an ideal photo/video light which helps you to focus your perfect shot easily.



M8000

Smart Focus Photo/Video Light

The light's COB LED delivers a whopping 96 CRI and a TLCI value of 97, with 8000 lumens 130° wide beam angle light, support Strobe flash, Auto-Shut-Off & Turbo mode (Strobe flash mode and Turbo mode even 15000 lumens).



M15000

Smart Focus Photo/Video Light

This is a professional underwater studio video lighting, gives you brightness but also adds color and warmth, all with a smooth, The light's COB LED delivers a whopping 96 CRI and a TLCI value of 97, with 15000 lumens 130° ultra wide beam angle light.

Primary Light



T1800

Tech Dive Primary Light

With 1800 lumens spot light, 6 hours burn time is the best choice for tech diving.



T1800S

Side Mount Primary Light

With 1800 lumens spot light, 6 hours burn time is the best choice for side mount tech diving.



TF1800

Tech Dive Primary Light

With 1800 lumens spot light and 5000 lumens flood light, 6 hours burn time, button control design allow easy operation with one hand.



TF1800S

Side Mount Primary Light

With 1800 lumens spot beam and 5000 lumens flood light, 6 hours burn time, button control design allow easy operation with one hand.



T4000

Tech Dive Primary Light

With 4000 lumens spot light, 3 hours burn time is the best choice for tech diving.



T4000S

Side Mount Primary Light

With 4000 lumens spot light, 3 hours burn time is the best choice for side mount tech diving.



T1800H

Handheld Primary Light

T1800H is a cordless light, offers 1800 lumens spot beam, 3 hours burn time.



TF1800H

Handheld Primary Light

TF1800H is a cordless light, offers 1800 lumens spot beam and 5000 lumens wide beam.



T4000H

Handheld Primary Light

T4000H is a cordless light, offers 4000 lumens spot beam, 2 hours burn time.

Wet Wide Lens



UWL90-M52
Compact
Standard Wide
Angle Wet Lens



UWL90-M67
Compact
Standard Wide
Angle Wet Lens



UWL150-M52
Ultra Wide Angle Wet Lens



UWL150-M67
Ultra Wide Angle Wet Lens

UCL12-M67



UCL18-M67



Super Macro Lens

Natural Sun-Like Light

The video lights uses a high color rendering index flat panel COB LED array that closely mimics natural sunlight, to solves the issue of color-lacking underwater photos and videos by giving divers the ability to add natural sun-like light.

Easy to use

Dial Control Knob with push-button design allow easy operation with one hand. Press the button to switch modes. Rotate knob to adjust brightness.



Battery level indicator

Colored Status LED for battery and mode indication for easy power management



Auto-Shut-Off mode

Turns the light off for 0.5 second when an external flash is detected. This assures a well lit photo and prevents shadows in your images.

Model: M1000-WRA, M2500-WSRBA, M3000-WRUA, RL3000, M3000-WRUA II, M6000-WRBT II, M8000, M15000 II

Strobe Flash mode

The light is synced from a camera flash via a fibre optic cable and is fast enough to give a powerful pulse of light even for reasonably fast shutter speeds. Model: M3000-WRUA II, RL3000, M6000-WRBT II, M8000, M15000 II

Turbo mode

The light brightness increased and burn time reduced. Model: M8000

Ambient Light Filter (Optional Accessories)

Converts the light into same spectrum as the ambient light under water. This is the perfect solution to avoid mixed light condition when you white balance the camera to ambient light.



Without Ambient Light Filter



With Ambient Light Filter



RC-02 Controller (Optional Accessories)

The RC-02 is a small controller for the video light, allowing you to adjust two lights at the same time or separate control. Put control of the video lights within thumb's reach. The controller unit can be mounted to the handle systems of your housing or the handles on your tray and arm system.

The RC-02 built-in a sensor, support sets the video light brightness automatically based on ambient brightness.

Support: M2600-WRUA, M2800-WSRU, M3000-WRUA, M3800-WSRU, M3000-WRUA II, M3500-WSRU, M5000-WSRU, M6000-WRBT, M6000-WRBT II, M8000, M10000, M15000



Optical Snoot (Optional Accessories)

X-ADVENTURER's optical snoot system is a great tool for underwater photographers. video light snoots provide creative lighting possibilities to create outstanding black background macro snoot photography.



Knives



MICROSUB blade 6 cm



MAKO blade 11 cm



SQUALO blade 14 cm



STILETTO blade 9 cm



SPORT blade 15 cm



DAGA blade 11 cm

Lead Coated Weight

These Metalsub lead divers weight blocks are ideal for snorkeling and scuba diving. Individually plastic coated, for corrosion protection and available in several colours, including 'high vis' scuba yellow, for underwater identification and where needed, superior under water visibility. The weight block corners are smooth and rounded for additional comfort, and feature twin 'weight belt' webbing slots, for use with standard scuba diving webbing. Available in 1kg, 2kg and 3 Kg..



2 Kg



2 Kg



2 Kg



1 Kg



1 Kg



1 Kg

Scooters

SUBLUE
by **ORIGIN**MARINE



SEA SCOOTER NAVBOW



SEA SCOOTER NAVBOW+



SEA SCOOTER MIX



SEA SCOOTER MIX PRO



SEA SCOOTER TINI



SEA SCOOTER HAGUL EZ 315W



COMPRESSORS

Thanks to its experience in the diving sector and its knowledge as a manufacturer of high pressure equipment, Metalsub Dive Equipment is a distributor of the prestigious compressors COLTRI.



CONSUMABLES & ACCESORIES





METALSUB[®]




METALSUB[®]

METALSUB DIVE EQUIPMENT SL

Mitger, 35, nau 5
08798 Sant Cugat Sesgarrigues . SPAIN
Tel. +34 93 897 01 26
metalsub@metalsub.com
www.metalsub.com

